



6860 MCCLELLAN ST, HOLLYWOOD, FL 33024-1832

()+195423523109 / +593 992249833

Smarthitechsolutions1@gmail.com



MAPP GAS& WELDING TORCH

- FUEL CYLINDERS&MAPP TORCH
- MAPP&OXYGEN WELDING KIT
- SOLDERING TORCH&IRON
- ACCESSORY



Mapp Gas Torch

0 1

0000000000

00000

Extensive line of the Mapp gas torches and burners are idea for braz ing&soldering&heating applications on the Plumbing,HVAC,automotive repair, hardware and DIY jobs.It is famous for extremely turbo flame design of the maximum heating. These include heavy brass inter-struc ture and anti-flashback design that make the torch to be outstanding and safe to use.



FUEL CYLINDERS


🛕 PRO GAS

RTM 400g.PRO GAS cylinder provides maximum heat output for more efficient use and faster soldering times. Designed for heavy-duty applications including soldering&brazing copper pipes, automotive repair,loosing rusted nuts and many other heat-treating applications. The slim,lightweight cylinder is easy to grip and maneuver.

CGA600 Connection

Designed with PRO GAS Compatible torches

- Flame temperature in air 2100°C. Ideal for soldering&brazing&heating
- Faster heat transfer and less fuel Than 450g mixture gas and propane
- Slim, Lightweight Cylinder Easy to grip and maneuver



P FUEL PRO GAS PROPANE FI AMF 3,600°F 3,812 °F TEMPERATURE IN AIR 2100°C 1982°C

PROPANE

The 400g propane cylinder designed to work with standard propane torches, ideal for small heating and soft soldering tasks. The slim, lightweight cylinder is easy to grip and maneuver.

- CGA600 Connection Designed with Propane-Compatible Torches
- Flame Temperature in Air 1982°C Ideal for general soldering and heating
- Slim, Lightweight Cylinder Easy to grip and maneuver



OXYGEN

Applied into RTM mapp&oxygen welding torches for a high-intensity flame that can cut thin steel, braze and weld. The Oxygen Cylinder is constructed of durable steel with a higher working pressure.

- CGA 601 left handed connection for Safety Use Only with Oxygen/Fuel Torches For high burn temperatures and fast work
- times Slim, Lightweight Torch Set Easy to grip and maneuver
- Durable Steel Construction With the 40g oxygen
- · Ideal for Use With The RTM 0X60P&0X60PG Brazing Torch Kit









MAX HEAT TURBO TORCH **CSA CERTIFICATED**

Work faster and more efficiently with the versatile Max Heat Torch, designed for a wide range of jobs including soldering&brazing copper pipes, automotive repair, loosing rusted RTM-030 nuts and many other heat-treating applications. The optimized turbo swirl flame burns hot and efficiently for maximum heat output and fast working times

- Auto start/stop ignition, instant cut off and auto flame lock to keep torch lit for finger-free use
- Turbo&swirl flame provide more heat distribution for soldering, brazing, heat treating and Automotive repair.
- For best performance, use with 400g PRO GAS, but Propane is also suitable with lower heat
- Brass tip and 100% rugged brass inter-structure to avoid the gas-leakage,100% fire tested
- Advanced gas control system to easily adjust the size flame for different applications
- Flame stable for consistent performance when tilted or momentarily inverted

3 Years Warranty

AVAILABLE KITS RTM-030TK01 RTM-030 Torch Plus 1pc 400g PRO GAS Cylinder

RTM-030TK02 RTM-030 Torch Plus 2pcs 400g PRO GAS Cylinder







0

MAPP TO

RTM-030

0

RTM-030K

TWIN BURNERS TORCH KIT FOR BRAZING AND **PROFESSIONAL SOLDERING**

Includes twin Interchangeable burner tubes for flexible applications, optimized turbo flame burns hot and efficiently for maximum heat output and brazing applications, and pin point flame for soft soldering with the soldering wire professionally.

- · Auto start/stop ignition, instant cut off and auto flame lock to keep torch lit for finger-free use
- For best performance.use with 400g PRO GAS, but Propane is also suitable with lower heat
- Brass tip and 100% rugged brass inter-structure to avoid the gas-leak age,100% fire tested
- Advanced gas control system to easily adjust the size flame for different applications
- Flame stable for consistent performance when tilted or momentarily inverted

3 Years Warranty

To exchange burner tubes:

1.Twist the plastic lock nut counter clock wise and pull up the tube easily

2.Insert the burner tube down into the body and then twist the plastic nut lock clockwise tightly

MAPP TORCH

RTM-033

HIGH HEAT TORCH CSA CERTIFICATED

Designed for heavy-duty use including soldering copper pipes, brazing and heat treating. Features a swirl flame that provides hot, efficient heat and fast soldering times, an instant on/off trigger for easy ignition and run-lock button for continuous use.

- Auto start/stop ignition, instant cut off and auto flame lock to keep torch lit for finger-free use
- Turbo&swirl flame provide hot heat distribution for soldering, brazing, heat treating and Automotive repair.
- For best performance,use with 400g PRO GAS,but Propane is also suitable with lower heat
- Stainless steel tip and 100% rugged brass&alum inter-structure to avoid the gas-leakage,100% fire tested
- Advanced gas control system to easily adjust the size flame for different applications
- Flame stable for consistent performance when tilted or momentarily inverted

3 Years Warranty

RTM-039

HIGH HEAT TURBO TORCH

Designed for heavy-duty use including soldering&brazing&heat-treating and automotive repair. Features a swirl flame that provides hot, efficient heat and fast soldering times.

- Turbo&swirl flame provide more heat distribution for soldering, brazing, heat-treating and automotive repair.
- For best performance,use with 400g PRO GAS,but Propane is also suitable with lower heat
- 100% rugged brass inter-structure to avoid the gas-leakage,100% fire tested
- Advanced gas control system to easily adjust the size flame for different applications
- Flame stable for consistent performance when tilted or momentarily inverted

3 Years Warranty

ed Dog PRO GAS Cylinder

100g PRO GAS Cylinder

HT-1S

360° SWIVEL TORCH TO ACCESS TIGHT SPOTS

A 360° vertical swivel torch head and trigger-start igniter provide easy, one-hand accessibility to soldering&brazing&heating jobs in tight spaces.

- Turbo&swirl flame provide more heat distribution for soldering, brazing, heat-treating and automotive repair.
- For best performance, use with 400g PRO GAS, but Propane is also suitable with lower heat
- 100% rugged brass inter-structure to avoid the gas-leakage,100% fire tested
- Advanced gas control system to easily adjust the size flame for different applications
- Flame stable for consistent performance when tilted or momentarily inverted

3 Years Warranty

AVAILABLE KITS

HT-1STK HT-1S Torch Plus 1pc 400g PRO GAS Cylinder





1111

RTM-033





HT-1

360° SWIVEL TORCH TO ACCESS TIGHT SPOTS

A 360° vertical swivel torch without the trigger-start ignition, one-hand accessibility to soldering&brazing&heating jobs in tight spaces . Torch lights manually with a sparker.

- Turbo&swirl flame provide more heat distribution for soldering, brazing, heat-treating and automotive repair.
- For best performance,use GAS,but Propane is also suitab
- Advanced gas control system the size flame for different
- Flame stable for when tilted or mome

3 Years Warranty



MAPP TORCH

Heavy brass tip

WT-9

HOSE TORCH FOR ACCESSIBILITY AND MOBILITY

Easily access hard-to-reach soldering & brazing,and heat-treating jobs with the WT-9 Hose Torch. Features a hose for maximum accessibility.

- Gas control valve on handle makes it easy to precision flame,ignite/extinguish the flame.
- 1.5M hose plus the belt hook for maximum accessibility and mobility.
- Turbo&swirl flame provide more heat distribution for soldering, brazing, heat treating and light welding
 - r best performance,use with 400g PRO Propane is also suitable with lower

nd brass inter-struc -

Flame adjustable valve on handle

HT-1S660

HOSE TORCH FOR ACCESSI-BILITY AND MOBILITY

Easily access hard-to-reach soldering & brazing,and heat-treating jobs with the HT-1S660 Hose Torch. Features a hose for maximum accessibility.

- 1.5M hose plus the belt hook for maximum accessibility and mobility.
- Turbo&swirl flame provide more heat distribution for soldering, brazing, heat treating and light welding
- For best performance, use with 400g PRO GAS, but Propane is also suitable with lower heat
- 100% rugged brass inter-structure to avoid the gas-leakage,100% fire tested

3 Years Warranty



Tip diameter. 11.50mm

Secondary burner tube valve

WT-8

DOUBLE TORCH FOR BIG OBJECT HEAT-TREATING

A 360° vertical swivel double-barrels torch and trigger-start ignition provide easy, one-hand accessibility to soldering&brazing&heating the bigger object jobs.

- The torch can adjusted into one or two flames for the flexible applications
- Double flames can provide more heat distribution for soldering, brazing, heat-treating and automotive repair.
- For best performance, use with 400g PRO GAS, but Propane is also suitable with lower heat
- 100% rugged brass inter-structure to avoid the gas-leakage,100% fire tested
- Advanced gas control system to easily adjust the size flame for different applications
- Flame stable for consistent performance when tilted or momentarily inverted

3 Years Warranty



Trigger-start igniter



Tip diameter. 9.80mm

HT-2

DOUBLE TORCH FOR BIG OBJECT HEAT-TREATING

A 360° vertical swivel double-barrels torch is accessibility to soldering&brazing&heating the bigger object jobs with the double flames.Torch lights manually with a sparker.

- Double flames can provide more heat distribution for soldering, brazing, heat-treating and automotive repair.
- For best performance,use with 400g PRO GAS,but Propane is also suitable with lower heat
- 100% rugged brass inter-structure to avoid the gas-leakage,100% fire tested
- Advanced gas control system to easily adjust the size flame for different applications
- Flame stable for consistent performance when tilted or momentarily inverted

3 Years Warranty



MAPP TORCH

Tip diameter: 11.50mm

WT-10

DOUBLE HOSE TORCH FOR ACCESSIBI-LITY&MOBILITY AND BIG OBJECT

Easily access hard-to-reach soldering & brazing,and heat-treating jobs with the WT-10 Hose Torch. Features a hose and double flames for maximum accessibility and applications.

- The torch can adjusted into one or two flames for the flexible applications
- Gas control valve on handle makes it easy to precision flame,ignite/extinguish the flame.
- 1.5M hose plus the belt hook for maximum accessibility and mobility.
- Double Turbo&swirl flame provide more heat distribution for soldering, brazing, heat treating and light welding
- For best performance, use with 400g PRO GAS,but Propane is also suitable with lower heat
- Brass tip and 100% rugged brass inter-struc ture to avoid the gas-leakage,100% fire tested

3 Years Warranty



Trigger-start igniter

Secondary burner tube valve

> Flame adjustable valve on handle

RTM-26D60

DOUBLE HOSE TORCH FOR ACCE-SSIBILITY& MOBILITY AND

Easily access hard-to-reach soldering & brazing, and heat-treating jobs with the RTM-26D60 Hose

BIG OBJECT

Torch. Features a hose and double flames for maximum accessibility and applications.

- 1.5M hose plus the belt hook for maximum accessibility and mobility.
- Double Turbo&swirl flame provide more heat distribution for soldering, brazing, heat treating and light welding
- For best performance, use with 400g PRO GAS, but Propane is also suitable with lower heat
- Brass tip and 100% rugged brass inter-struc ture to avoid the gas-leakage,100% fire tested

3 Years Warranty

PRO GAS PROPANE

HT-3

Tip diameter.

9.80mm

TRIPLE TORCH FOR MAXIMUM BRAZING

A 360° vertical swivel triple-barrels torch is accessibility to brazing and heat-treating the Max. object jobs. Torch lights manually with a sparker.

- Triple flames can provide max heat distribution for brazing and heat-treating and automotive repair.
- For best performance, use with 400g PRO GAS, but Propane is also suitable with lower heat
- 100% rugged brass inter-structure to avoid the gas-leakage,100% fire tested
- Advanced gas control system to easily adjust the size flame for different applications
- Flame stable for consistent performance when tilted or momentarily inverted

3 Years Warranty





Tip diameter : 9.80mm

Tip diameter : 11.50mm

RTM-36D

TRIPLE TORCH FOR MAXIMUM BRAZING

A 360° vertical swivel triple-barrels torch is accessibility to brazing and heat-treating the Max. object jobs. Torch lights manually with a sparker.

WT-1

MANUAL TORCH FOR GENERAL APPLICATIONS

A general purpose propane torch designed for light work and basic automotive repair jobs. Features a wide pencil flame, durable brass construction and an adjustable flame control knob,torch lights manually with a sparker.

- Basic pencil flame for simple soldering and heating small surface areas on automotive
- For best performance, use with 400g Propane
- Flame control valve makes it easily sizes flame and extinguishes when finished
- 100% rugged brass inter-structure to avoid the gas-leakage,100% fire tested

AVAILABLE KITS WT-1TK WT-1 Torch Plus 1pc 400g Propane Cylinder



WT-1S

BASIC TORCH WITH BUILT-IN IGNITION

Multi-purpose propane torch designed for household projects including light soldering jobs, Automotive repair ,thawing, melting, heating and lighting fires. Features a trigger-starter for easy ignition and an adjust able flame control knob.

- Flame control valve help you adjustment flame when you work, easily ignite/extinguish the flame.
- Webbed flame completes a variety of household and automotive repair projects, including soldering, loosening rusted nuts/bolts/screws, thawing frozen pipes/locks.
- Durable Stainless Steel Burn Tube can do the job efficiently.
- Suited for 14.1 Propane&Mapp cylinder, connection of CGA600

AVAILABLE KITS WT-1STK WT-1S Torch Plus 1pc 400g Propane Cylinder



TO ACCESS TIGHT SPOTS A 360° vertical swivel BRASS TIP torch and trigger-start igniter provide easy, one-hand accessibility to soldering&brazing&heating

jobs in tight spaces.

TIP TORCH

RTM-1S6

360° SWIVEL BRASS

 Turbo&swirl flame provide more heat distribution for soldering, brazing, heat-treating and automotive repair.

- For best performance,use with 400g PRO GAS,but Propane is also suitable with lower heat
- 100% rugged brass inter-structure to avoid the gas-leakage,100% fire tested
- Advanced gas control system to easily adjust the size flame for different applications
- Flame stable for consistent performance when tilted or momentarily inverted

3 Years Warranty





RTM-16

360° SWIVEL BRASS TIP TORCH TO ACCESS TIGHT SPOTS

A 360° vertical swivel BRASS TIP torch without the trigger-start ignition, one-hand accessibility to soldering&brazing&heating jobs in tight spaces .

- Turbo&swirl flame provide more heat distribution for soldering, brazing, heat-treating and automotive repair.
- For best performance, use with 400g PRO GAS, but Propane is also suitable with lower heat
- 100% rugged brass inter-structure to avoid the gas-leakage,100% fire tested
- Advanced gas control system to easily adjust the size flame for different applications
- Flame stable for consistent performance when tilted or momentarily inverted

3 Years Warranty



RTM-1660

HOSE TORCH WITH BRASS TIP FOR ACCESSIBILITY AND MOBILITY

Easily access hard-to-reach soldering & brazing,and heat-treating jobs with the HT-1S660 Hose Torch. Features a hose for maximum accessibility. Torch lights manually with a sparker.

- 1.5M hose plus the belt hook for maximum accessibility and mobility.
- Turbo&swirl flame provide more heat distribution for soldering, brazing, heat treating and light welding
- For best performance,use with 400g PRO GAS,but Propane is also suitable with lower heat
- 100% rugged brass inter-structure to avoid the gas-leakage,100% fire tested

3 Years Warranty



RTM-1S660

HOSE TORCH WITH BRASS TIP FOR ACCESSIBILITY AND MOBILITY



- 1.5M hose plus the belt hook for maximum accessibility and mobility.
- Turbo&swirl flame provide more heat distribution for soldering, brazing, heat treating and light welding
- For best performance, use with 400g PRO GAS, but Propane is also suitable with lower heat
- 100% rugged brass inter-structure to avoid the gas-leakage,100% fire tested

3 Years Warranty



RTM-1S660T

QUICK-DISCONNECT HANDLES&TIPS TORCH

Easily access hard-to-reach soldering&brazing,and heat-treating jobs with the RTM-1S660T torch. Features a hose for maximum accessibility and auto ignition to easy light.

1

- Three connections to make it easy to replace the parts
- Quick-disconnect handles&tube to make it easy to change the alternative tubes.
- 1.5M hose plus the valve on handle for maximum accessibility and mobility to use.
- Turbo&swirl flame provide more heat distribution for soldering, brazing, heat treating and light welding
- For best performance, use with 400g PRO GAS, but Propane is also suitable with lower heat
- 100% rugged brass inter-structure to avoid the gas-leak age,100% fire tested

3 Years Warranty





Quick-disconnect handle&tip



Handle&hose connector



With ignition



Regulator&hose connector



Without ignition



Model: RTM-1660T

CTN: 20 PCS / ctn. CTN Size: 59x36.5x35cm



Model: RTM-1S660T

CTN: 20 PCS / ctn. CTN Size: 59x36.5x35cm

Mapp&oxygen torch

Mapp&oxygen lightweight&portable heavy duty torch kit features an adjustable flame and is perfect for cutting thin steel, brazing and welding. Also features an advanced gas control system on handle to make it comfort and easy using. The built-in dual flashback arrestor design make it safe on working.

0



MAPP&OXYGEN WELDING TORCH

OX60P

USA TYPE BRAZING&CUTTING TORCH

The mapp&oxygen torch kit features an adjustable flame and is perfect for cutting thin steel, brazing and light welding. Also features an adjustable flame control knob on handle to make it comfort and easy using.

- Compatible with CGA600 thread MAPP and CGA601 left thread oxygen cylinders
- Advanced gas control system on handle makes it easy to precision flame , dual flashback arrestors.
- Durable brass burn wand, independent fuel and oxygen controls and is pressure regulated for consistent performance when inverted.
- Temperature can reach 3000 C.making it ideal for small brazing, welding and metal-cutting projects
- Lightweight & Portable with 1.5M hose

Kit included:

1pcs torch,1pcs extra nozzle,1pcs metal carry case,1pcs sparker,1pcs protection glass. Gas cylinder is not included, sold separately.





Cylinders

not

included

OX70

BRAZING&CUTTING TORCH

The mapp& Europe type oxygen torch kit features an adjustable flame and is perfect for cutting steel, brazing and light welding. Also features an adjustable flame control knob on handle to make it comfort and easy using.

- Compatible with CGA 600 connction MAPP and Europe type M12*1 thread oxygen cylinder
- Advanced gas control system on handle makes it easy to precision flame, dual flashback arrestors.
- Durable brass burn wand, independent fuel and oxygen controls and is pressure regulated for consis tent performance when inverted.
- Temperature can reach 3000 C.making it ideal for small brazing, welding and metal-cutting projects
- Lightweight & Portable with 1.8m hose

Kit included:

1pcs torch,1pcs extra cutting nozzle,1pcs metal carry case,1pcs sparker,1pcs protection glass. Gas cylinder is not included, sold separately.







Cylinders not included

MAPP&OXYGEN WELDING TORCH

OX70P

EUROPE TYPE BRAZING&CUTTING TORCH

The Europe mapp&oxygen torch kit features an adjustable flame and is perfect for welding&cutting with the safty valve. Also features an adjustable flame control knob on handle to make it comfort and easy using.

- Compatible with 7/16" connction MAPP and Europe type M12*1 thread oxygen cylinders
- · Advanced gas control system on handle makes it easy to precision flame, dual flashback arrestors.
- Durable brass burn wand, independent fuel and oxygen controls and is pressure regulated for consis tent performance when inverted.
- Temperature can reach 3000 C.making it ideal for small brazing, welding and metal-cutting projects
- Lightweight & Portable with 1.8m hose

Kit included:

1pcs torch,1pcs extra cutting nozzle,1pcs metal carry case,1pcs sparker,1pcs protection glass. Gas cylinder is not included, sold separately.





Cylinders

not

included

OX80

HEAVY BRAZING&CUTTING TORCH

The mapp&2L oxygen torch kit features an adjustable flame and is perfect for cutting steel, brazing and light welding. Also features an adjustable flame control knob on handle to make it comfort and easy using.

- Compatible with CGA600 connection MAPP and 2L&4L oxygen cylinder of the customized thread
- Advanced gas control system on handle makes it easy to precision flame, dual flashback arrestors.
- Durable brass burn wand, independent fuel and oxygen controls and is pressure regulated for consistent performance when inverted.
- Temperature can reach 3000 C.making it ideal for heavy brazing, welding and metal-cutting projects
- · Lightweight & Portable with 3M hose

Kit included:

1pcs torch,1pcs extra nozzle,1pcs metal carry case,1pcs sparker,1pcs protection glass. Gas cylinder is not included, sold separately.











PG001B

OXYGEN&GAS TORCH HEAD

Absolutely stable flame while operation

This Oxygen&Gas torch head is designed for the rubber hose with an I.D.4~6mm or 8mm. The user only needs to insert the hose into the bolt at the end according to the corresponding color and clamp it with a metal hoop.

- Built-in flashback arrestors.
- Fit for 4mm&6mm&8mm inner bore hose,red for gas & blue for oxygen.
- Absolutely stable flame while operation
- Special brazing nozzle,and flame will never go out when in use.









PG003A-1

MAPP REDUCER

- Built in flashback arrestor



PG004-1L

OXYGEN REDUCER

- Equipped with safety valve and flashback arrestor.
- cylinder

PG004-40L

OXYGEN REDUCER

- 1~0MPa
- Brass material, and customized inlet and outlet thread



• Designed to connect the 7/16" OR CGA600 Mapp fuel cylinder

• All brass material, and inlet 7/16" OR CGA600 and customized outlet thread

• Designed to connect the Europe 1L oxygen with the M12*1 inlet thread

• All brass material, and inlet M12*1 and customized outlet thread.

• Equipped with gauge, safety valve and flashback arrestor.

• Continuously reduce the pressure of the gas cylinder from 12~15MPa to

MAPP&OXYGEN WELDING TORCH

RTM-051

OXYGEN&ACETYLENE TORCH KIT FOR HEAVY WELDING&CUTTING

This portable welding&cuttting kit has been widely applied in different fields of the industries.Ideal for plumbing,HVAC,refrigeration engineering,automotive repaira,hardware and maintanace application.Empty 4L oxygen and 2L acetylene included.

- Portable welding torch kit with 4L oxygen & 2L acetylene tanks.
- 4.5M*4.8mm with flame retardancy hose
- Oxygen reducer of CGA540 inlet and 9/16"-18 outlet,and acetylene reducer of CGA200 inlet and 9/16"-18 outlet
- Capable of welding from O.D. 1/32" up to 1-1/4" with the appropriate welding nozzle.
- Capable of cutting from 1/2" up to 3/4" with the appropriate cutting tip.
- Larger welding and cutting tips are sold separately.

Kit included:

1pc torch handle,2pc welding tips,1pc cutting tip,1pc plastic carry case,1pc sparker,1pc goggles,1pc Tip cleaner&wrench



RTM-054

OXYGEN&ACETYLENE TORCH KIT FOR HEAVY WELDING

This professional welding kit has been widely applied in different fields of the industries.Ideal for plumbing,HVAC,refrigeration engineering,automotive repaira,hardware and maintanace application.Empty 4L oxygen and 2L acetylene included. Cutting kit in not included on this kit.

- Portable welding torch kit with 4L oxygen & 2L acetylene tanks.
- 4.5M*4.8mm with flame retardancy hose
- Oxygen reducer of CGA540 inlet and 9/16"-18 outlet, and acetylene reducer of CGA200 inlet and 9/16"-18 outlet
- Capable of welding from O.D. 1/32" up to 1-1/4" with the appropriate welding nozzle.




• Larger welding and cutting tips are sold separately.

Kit included:


1pc torch handle,2pc welding tips,1pc plastic carry case,1pc sparker,1pc goggles,1pc Tip cleaner&wrench





Butane torch&iron

R efillable butane micro torch and soldering iron designed for detailed work including electrical and electric repair,sodering , craft and hobby projects,small household projects,automotive repair,loosing rusted nuts&bolts and many more applications. Features an electric ignition for easy lighting and an adjustable flame control knob to fine tune the tip temperature for various uses.



SOLDERING TORCH&IRON

ARTM

HT-7

BUTANE REFILLABLE TORCH

Features a strong and sturdy brass flame nozzle, big flame, refillable ,and anti-flare and piezo crystral instant ignition,.

- Widely used in Dental Labs, Bending Glass, Plastic or Metal tubing, Wood Graining, Removing old paint, Tile Laying, Wire soldering, Silver Soldering, Soften Putty, Plumbing repair etc.
- Lightweight and Portable with over 35 minutes of high grade 2500°F burn time. Fulfill all of your soldering and other needs. Fits easily in your toolbox. Precision Flame Control.
- The powerful, portable and Anti-flare butane refillable torch. Strong and sturdy brass flame nozzle, detachable base and precision flame control. Turn it upside down without worrying about flame blow-out.
- Height: 7.25" Weight: 13oz Fuel Capacity: 28 grams.

В BUTANE

HT-8

BUTANE SOLDERING TORCH&IRON FOR HOUSEHOLD USE AND ELECTRONIC

00

000

0000

Refillable butane micro torch and soldering iron designed for detailed work including electrical soldering, craft and hobby projects and small household projects. Features an electric ignition for easy lighting and an adjustable

flame control knob to fine tune the tip temperature for various uses.

- Trigger ignition for easily ignites and extinguishes flame
- Pinpoint flame For detailed work
- Fingertip adjustable flame and continuous flame lock
- Incluedes the iron tip for electrical and electronic repair.

В

BUTANE



6000

C

HT-9

3

3 piece refillable butane micro torch and soldering iron kit with many needed for detailed work including electrical soldering and jewelry repair. Features an electric ignition, integrated stand, flame lock and flame adjustment to fine tune the tip temperature for various uses

- · Convenient ignition switch to make it easily ignites and extinguishes flame.
- use-operation.



HT-10

10 PIECE BUTANE SOLDERING IRON&BELOW EASY TORCH

10 piece refillable butane micro torch and soldering iron kit with everything needed for detailed work including electrical and electronic repair, soldering, de-soldering, arts and crafts, model making, household repair and many more applications,. Features an electric ignition, integrated stand, flame lock and flame adjustment to fine tune the tip temperature for various uses.and an adjustable flame control knob to fine tune the tip temperature for various uses.

- Cordless Soldering Iron with 7 interchangeable tips, cleaning sponge, rosin core electrical solder, storage case For everything needed jobs.
- Convenient ignition switch to make it easily ignites and extinguishes flame.

- Build-in stand for safe in use-operation.

B

BUTANE





- Cordless soldering Iron with 3 interchangeable tips for many different jobs.
- Fingertip adjustable flame and continuous flame lock
- Portable, cordless and lightweight-works at any angle. Build-in stand for safe in

- Fingertip adjustable flame and continuous flame lock
- · Portable,cordless and lightweight-works at any angle.

Accessories

Wide range of accessories makes heating, welding and cutting more convenient and comfortable in our life.



ACCESSORIES

BRAZING ROD

RTM

0% SILVER

- 1.3*3.2*500mm
- 0% SILVER, 6.6%-7.4% Phosphorus, ramainder Copper.
- Melting range 710 °C -820 °C
- Meets AWS A5.8
- The product is used in copper and copper welding and widely applied in air-condition&refrigeration industries.

BRAZING ROD 2% SILVER

ARTM

- 1.3*3.2*500mm
- 2% SILVER, 6.8%-7.2% Phosphorus, ramainder Copper.
- Melting range 643 °C 788 °C
- Meets AWS A5.8
- The product is used to weld copper and brass, and can braze wide gaps. It is widely applied in air-condition&re frigeration industries.

BRAZING ROD 5% SILVER

- 1.3*3.2*500mm
- 5% SILVER, 5.8%-6.2% Phosphorus, ramainder Copper.
- Melting range 645 °C 815 °C
- Meets AWS A5.8
- The product is used to braze copper and brass, and can braze joints with wide gaps. It is widely applied in air-condition&refrigeration industries.

BRAZING ROD 6% SILVER

- 1.3*3.2*500mm
- 6% SILVER, 7%-7.5% Phos phorus, ramainder Copper.
- Melting range 643 °C -724 °C

ARTM

- Meets AWS A5.8
- The product is used to weld copper and brass, brass and brass.It can be used in automatic brazing and is widely applied in air-condition&refrigeration industries.





BRAZING ROD 15% SILVER

- 1.3*3.2*500mm
- 15% SILVER, 4.8%-5.2% Phosphorus, ramainder Copper.
- Melting range 645 C-800 C
- Meets AWS A5.8
- The product is used to weld copper and brass, brass and brass.It is widely applied in motors and sanitary ware industries.

RTM

ARTM

ACCESSORIES

ARTM

ERAZING S WELDING

4

COPPER PHOSPHORUS BRAZING&WELDING ROD

- Perfect for joining copper pipes, electrical wires or flexible tubing. Intended for hard soldering, brazing.
- Working Temperature: 705 °C 782 °C
- Tensile Strength : 30000PSI
- Includes 5pcs 12-in. rods, 305*3.2*1.3mm

&WELDING ROD

- Useful for multiple tasks including soldering or repairing aluminum windows, doors, gutters and siding, and even sealing holes in boats.
- These rods can also be used to build-up alu minum joints without distortion, discoloration, or loss of strength.
- Working Temperature: 577 °C 582 °C
- Tensile Strength : 21000PSI
- Includes 5pc 12-in. rods, 305*2.4mm



L-60H TORCH EXTENSION HOSE

- 1.5m extension hose
- Cylinder belt hook included
- CGA600 thread
- Suitable for all RTM Mapp&propane torches

L-70H HEAT REFLECTOR GUARD

- · Help to contain and concentrate heat during soldering&brazing
- Protect nearby surfaces from heat related damage
- Stainless steel curved protective guard
- Locking wingnut
- Suits for all the RTM MAPP torches.

L-80H FLAME SPREAD HEAD

- Paint removal
- Flame spread for cooking and camping
- Flat area soldering
- Suits for RTM torch model WT-1



RTMSWS

SOLID WIRE SOLDER Suitable for plumbing& automotive repairs

- Solid wire solder
- Alloy lead free
- 1.6mm diameter, 3oz(85.2g)
- 220°C melting point



RTMACS

ACID CORE SOLDER Suitable for metal work soldering

- Acid core solder
- Alloy lead free
- 1.6mm diameter, 3oz(85.2g)
- 220 C melting point



ARTM WATER SOLUELE

ARTM

IRAZING S

- Ph

*

RTMRCS ROSIN CORE SOLDER Suitable for electrical soldering

- Rosin core solder
- Alloy lead free
- 1.6mm diameter, 3oz(85.2g)
- 220 °C melting point

RTMWF

WATER SOLUBLE FLUX Suitable for use with non-fluxed solder

- Water soluble flux
- 50g water soluble paste flux
- 104°C boiling point







L-90H SPARKER LIGHTER

- Designed to ignite manual-start torches and appliances easily and quickly.
- The flints are replaceable, making it reliable for years of use.



LP-F **ADAPTOR**

 Screw connect MAPP cylinder (7/16)"-28UNF and Torch CGA600(1"-20UNF) thread.



W-1200 WELDING MAT

- Prevent burn damage when soldring or brazing
- The cut out shape enables the mat to be wrapped around pipe, reducing the risk of damage to surrounding area.
- Fibreglass material
- Size: 25cm*25cm
- Resist Up to 1200 °C

ACCESSORIES

Nozzle Φ19mm



T-38 TUBE

- Alternative tip for RTM-030&RTM-033&RTM-039 Hand Torch
- Applied to big spots heating-treatment jobs
- Larger flame with nozzle Φ19mm
- Tip swivels 360°



T-36 TUBE

- Alternative tip for RTM-030&RTM-033&RTM-039
- Applied to soldering jobs with solder wire
- Pin point flame nozzle Φ10mm
- Tip swivels 360°



To exchange burner tubes:



1.Twist the plastic lock nut counter clock wise and pull up the tube easily



2.Insert the burner tube down into the body and then twist the plastic nut lock clockwise tightly



